
drjatorres@gmail.com | Search History | My Account | Sign out



Turn OFF Personalized Search (Beta) for these results »

Advanced Search

Preferences

Web Personalized Results 1 - 10 of about 14 for "spread spectrum" "phase modulate" "amplitude modulate". (0.45

Did you mean: "spread spectrum" "phase *modulation*" "amplitude *modulation*"

Mobile surface terminal communication system - Patent 6804493

The PN command signal is multilevel to **amplitude modulate** an (1-.alpha. ... and then **phase modulate** the uplink carrier at the uplink carrier frequency that ... www.freepatentsonline.com/6804493.html

Patent 4217467: Amplitude and periodic phase modulation ...

... which can be utilized to amplitude and **phase modulate** a carrier as shown in FIG. 15C, thereby further reducing the bandwidth by one-half. ... www.freepatentsonline.com/4217467.html

Method and apparatus for waveform generation patent Monitor ...

A **spread spectrum** waveform generator has a photonic oscillator and an optical ... Typically, a pulse - compression code is used to **phase modulate** a single ... www.freshpatents.com/ Method-and-apparatus-for-waveform-generation-dt20041230ptan20040264977.php

Method and apparatus for waveform generation patent invention FREE ...

Typically, a pulse - compression code is used to **phase modulate** a single - tone ... an agile or a frequency modulated **spread spectrum** waveform generator www.freshpatents.com/ Method-and-apparatus-for-waveform-generation-dt20041230ptan20040264977.php?type=desc...

[PDF] A Nonlinear Dynamic System for Spread Spectrum Code Acquisition File Format: PDF/Adobe Acrobat - View as HTML

1.4 Direct Sequence **Spread Spectrum** (DS SS) for Simple ... **phase modulate** the drive signal. They **amplitude modulate** the data (which has a much lower ...

www.media.mit.edu/~vigoda/thesis.PDF

Front Page Images Description Claims DESCRIPTION BACKSCATTER ...

Spread spectrum modulation techniques are known in the art. ... the modulator is configured to amplitude modulate and phase modulate the carrier signal. ... www.wipo.org/cgi-pct/guest/getbykey5?KEY=99/ 56414.991104&ELEMENT SET=DECL

US Pregrant 20020015436 - Modulators, transmitters, a radio ...

... and amplitude modulate the carrier signal using the spread data signal, the modulator being further configured to phase modulate the carrier signal. ... cxp.paterra.com/uspregrant20020015436.html

美国专利申请公开说明书20020015436 - Modulators, transmitters, a ...

... and **amplitude modulate** the carrier signal using the spread data signal, the modulator being further configured to **phase modulate** the carrier signal. ... cxp.paterra.com/uspregrant20020015436cn.html

Backscatter interrogators, communication systems and backscatter ...

The backscatter interrogator according to claim 8 wherein the modulator is configured to amplitude modulate and phase modulate the carrier signal. 12. ... patents.nimblewisdom.com/patent/ 6459726-Backscatter-interrogators-communication-systems-and-backscatter-c...

AM compatible digital audio broadcasting signal transmision using ... The digitally modulated spread spectrum noise-like sequences replaces the OFDM ... These coefficients then amplitude and phase modulate a basis set of ... patents.nimblewisdom.com/patent/ 5956373-AM-compatible-digital-audio-broadcasting-signal-transmision-using...

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: "spread spectrum" "phase modulation" "amplitude modulation"

Try your search again on Google Book Search


"spread spectrum" "phase modulate' Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

drjatorres@gmail.com | Search History | My Account | Sign out



Web Results 1 - 3 of about 4 for "spread spectrum" "phase modulate" "amplitude modulate" backscatter. (0.42 se

Did you mean: "spread spectrum" "phase modulation" "amplitude modulated" backscatter

US Pregrant 20020015436 - Modulators, transmitters, a radio ...
The present invention provides **backscatter** interrogators, communication ... signal to define a spread data signal and **amplitude modulate** the carrier signal ... cxp.paterra.com/uspregrant20020015436.html

美国专利申请公开说明书20020015436 - Modulators, transmitters, a ...

The present invention provides **backscatter** interrogators, ... a spread data signal and **amplitude modulate** the carrier signal using the spread data signal, ... cxp.paterra.com/uspregrant20020015436cn.html

Backscatter interrogators, communication systems and backscatter ... The backscatter interrogator according to claim 8 wherein the modulator is configured to amplitude modulate and phase modulate the carrier signal. 12. ... patents.nimblewisdom.com/patent/ 6459726-Backscatter-interrogators-communication-systems-and-backscatter-c...

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: <u>"spread spectrum" "phase modulation" "amplitude modulated" backscatter</u>

Try your search again on Google Book Search

"spread spectrum" "phase modulate" Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

drjatorres@gmail.com | Search History | My Account | Sign out



Web <u>Images Groups News Froogle Maps more »</u>

"spread spectrum" "phase modulation" "ampliti Search Advanced Search Preferences

Turn OFF Personalized Search (Beta) for these results »

Web Personalized Results 1 - 10 of about 74 for "spread spectrum" "phase modulation" "amplitude modulated" ba

EP915573 Lucent european software patent - Direct sequence spread ... Software Patent: Direct sequence spread spectrum modulated uplink for modulated backscatter systems. Table of contents: Bibliography; Abstract; Description ... gauss.ffii.org/PatentView/EP915573

<u>EP750201 At european software patent - Full duplex modulated ...</u> A **Backscatter** Modulator uses a second information signal to modulate the reflection of the ... this is a Direct Sequence **Spread Spectrum** (DS/SS) system. ... gauss.ffii.org/PatentView/EP750201

Patent 5649296: Full duplex modulated backscatter system Quick ...

MBS systems typically utilize the amplitude modulated techniques described above for ...
this is a Direct Sequence Spread Spectrum (DS/SS) system. ...

www.freepatentsonline.com/5649296.html

Amplitude modulation - Patent Storm Home Browse by Inventor Browse ... According to one aspect of the present invention, a backscatter ... a phase modulation command representing a desired phase modulation of an RF signal, ... www.patentstorm.us/class/ 455/108-Amplitude_modulation.html

[PDF] RFID Technical Basics

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> bars and spaces carry the data in **amplitude modulated** ... Amplitude, Frequency and **Phase Modulation**, Amplitude Shift Keying, Frequency Shift Keying ... www.aimuk.org/pdfs/Comp04-4.pdf

esp@cenet description view European Patent Office Logo Home ...
The Interrogator first transmits an amplitude modulated signal to the Tag In a Direct Sequence Spread Spectrum TDMA system , the probability that two ... v3.espacenet.com/textdes?& DB=EPODOC&IDX=EP0915573&QPN=EP0915573

Acronyms and Abbreviations Used by the RF/Microwave Industry ...

AML amplitude modulated link. AMPS Advanced Mobile Phone Service. AMR adaptive multirate codex ... CPM continuous phase modulation. CPS coplanar stripline ... www.navicpmart.com/news/newstmp.cfm/ v/001~~..%2Fnews%2Fmw_2000102_4.cfm.html

The Shortwave Jargon Glossary An ongoing effort last updated 7/17 ... Angle Modulation PM Phase Modulation Descriptively named mode that retards ... These were even amplitude modulated, for voice radio, with telephone mikes ... www.ominous-valve.com/jargon.txt

TechLink -- Patent Search Results

Photonics & Sensors, 6671304, **Amplitude-modulated** laser for high-bandwidth ... wavelength division multiplexing and distributed optical **phase modulation** ... www.techlinkcenter.org/.../ patent_search_process.html? search_clear=1&category=Photonics%20%26%20Sensors

[PDF] Chapter 6. Time of Flight Sensors

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> **Phase modulation** (PM). • Polarisation modulation. For most simple TOF sensors, the carrier is on-off **amplitude modulated** as shown in. the figure. ...

www.acfr.usyd.edu.au/teaching/4th-year/mech4721-Signals/ material/lecture%20notes/06% 20Time%20of%20Flight.pdf

Try your search again on Google Book Search

G000000081e ►
Result Page: 1 2 3 4 5 6 7 Next

"spread spectrum" "phase modulatio Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Preferences

			"spread spectrum" AND "phase modulation" AND "amp	
			✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase	
Se	ard	ched for::	:All of the words:"spread spectrum" AND "phase modulation" AND "amplitude modul	ated" AND t
		Found::	:5 total 1 journal results 2 preferred web results 2 other web results	
		Sort by::	:relevance date	
		Save che	cked results	Or refine
	1.	ICASSP'9	5 Table of Contents [PDF-2MB]	All of the
		Joint Bl Tong A Sr Mehmet V APPLICAT	ind Signal Detection and Carrier Recovery Over Fading Channels 1205 Lang mart Time-Frequency Exciser for Spread Spectrum Communications 1209 /. Tazebay, Ali N. Akansu Session: RECONSTRUCTION, ESTIMATION, AND TONS 22 Laguerre Digital ola.usc.edu/paper/ICASSP1995/PDF/AAA_TOC.PDF]	Refine
	2.	Nov 1998 Departme Departme only three	ent of Electronic & Electrical Engineering Departmental Review 1998/9 1 The ent of Electronic & Electrical Engineering at University College London is one of e top rated EE research departments in the UK. ww.ee.ucl.ac.uk/~pbrennan/Rev_low.pdf]	
	3.	MacLella Gregory modula technique modulate Backscat Full text	n, John Austin / Vannucci, Giovanni / Shober,R. Anthony / Wright, Alan / AT& / T IPM Corp., EUROPEAN PATENT, Dec 1996 ted backscattering (MBS) whereutilize the amplitude modulated esSequence Spread Spectrum (DS/SS) systemsend the amplitude ed signal usingmodulated backscatter (e.g., reflectedModulated eter (MBS) togenerates an amplitude modulated signal modulated available at patent office. For more in-depth searching go to LexisNexistresults	
_ ·	4.	Nysen, P LIMITED repetitiv spectrum carriers Full text	assive universal communicator system aul Anton / Tobias, Raphael / CEDCOM NETWORK SYSTEMS PTY. , EUROPEAN PATENT, Aug 1989 ve long amplitude modulated continuous wavewatt) and may be spread modulated. Clocktransmit data will be amplitude modulated onto the imilar to modulated backscatter radiation. Information available at patent office. For more in-depth searching go to LexisNexistresults results from Patent Offices	

5. Multiplexed and distributed optical fibre sensor systems

"spread	spectrum" AND "phase modulation" AND "amplitude modulated" AND backscatter resu	Page 2 of 2				
	J P Dakin, Journal of Physics E: Scientific Instruments, Aug 1987optical fibres from the normal Rayleigh backscatter signature, may be used to monitorelement of the array, and carrying phase modulation proportional to the changes in opticalcorresponding fibre sensing element. Phase modulation of each time-demultiplexed channel					
	Published journal article available from ${ m I}_{\it O}$ ${ m f P}$					
	similar results					
	fast :::					

<u>Downloads</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> | <u>Advertising Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2006



SCITUS -	Search • Pop-up Blocker OFF	Highlight

About Us Newsroom Advisory Board Submit Web Site Help Contact Us **Basic Search** Advanced Search Search Preferences Search "spread spectrum" AND "phase modulation" AND "amp ✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase Searched for:: :All of the words: "spread spectrum" AND "phase modulation" AND "amplitude modulated" Found:: :31 total | 2 journal results | 20 preferred web results | 9 other web results Sort by:: :relevance | date Save checked results Email checked results Export checked results Refine you using thes 1. SPREAD SPECTRUM CDMA COMMUNICATIONS SYSTEM found in t SCHILLING, Donald, L. / INTERDIGITAL TECHNOLOGY CORPORATION, EUROPEAN amplifier PATENT, Nov 1992 ...INVENTION This invention relates to spread spectrum communications and more carrier frequ particularly...in the article, "Application of the Spread- Spectrum-Technique in Hybrid cellular syst Mobile Radio Systems...with more than one mobile station. Spread spectrum is used on demodulatie the "downlink" while narrowband... Full text available at patent office. For more in-depth searching go to LexisNexis optical fibre view all 20 results from Patent Offices polarisation similar results power conti 2. SYSTEM AND METHOD FOR HIGH SPEED DIGITAL DATA CASTING CONCURRENT WITH quadrature AMPLITUDE MODULATED BROADCASTS subcarrier DYSON, Timothy, F. / BURNS, Joseph, R. / DATA DESIGN & / DEVELOPMENT transmitter CORPORATION, PATENT COOPERATION TREATY APPLICATION, Sep 1998 Or refine | ...CONCURRENT WITH AMPLITUDE MODULATED BROADCASTS FIELD...co-existing monophonic amplitude modulated (AM) signal. DESCRIPTION...along with an All of the amplitude modulated carrier. Most...the equivalent phase modulation. A U.S. Pat. 4... Full text available at patent office. For more in-depth searching go to LexisNexis-Refine view all 20 results from Patent Offices similar results **3.** Method of generating CPM (continuous phase modulation) signals Baier, Paul-Walter, Prof. Dr.-Ing. / Jung, Peter, Dipl.-Phys. / Infineon Technologies AG, EUROPEAN PATENT, Sep 1993 ...Communications and Spread Spectrum Systems...Continuous Phase Modulation) -Signale...Superposition of Amplitude Modulated Pulses (AMP...Digital Phase Modulation", New York...Continuous Phase Modulation" in "IEEE... Full text available at patent office. For more in-depth searching go to LexisNexis view all 20 results from Patent Offices similar results **4.** ICASSP'95 Table of Contents [PDF-2MB] Mar 1995 ...Joint Blind Signal Detection and Carrier Recovery Over Fading Channels 1205 Lang Tong A Smart Time-Frequency Exciser for Spread Spectrum Communications 1209

Mehmet V. Tazebay, Ali N. Akansu Session: RECONSTRUCTION, ESTIMATION, AND

"spread s	pectrum" AND "phase modulation" AND "amplitude modulated" results on scirus.com, Page 2 of 4
	APPLICATIONS 22 Laguerre Digital more hits from [http://viola.usc.edu/paper/ICASSP1995/PDF/AAA_TOC.PDF] similar results
<u> </u>	pp. 1-5 PM6 [PDF-333K] Nov 1998 Department of Electronic & Electrical Engineering Departmental Review 1998/9 1 The Department of Electronic & Electrical Engineering at University College London is one of only three top rated EE research departments in the UK. [http://www.ee.ucl.ac.uk/~pbrennan/Rev_low.pdf] similar results
6.	SYSTEM AND METHOD OF DATA TRANSMISSION IN THE AM FREQUENCY SPECTRUM SMITH, Doug / DYSON, Timothy, F. / DIPIANO, Michael, A. / MOBILE BROADCASTING CORPORATION, PATENT COOPERATION TREATY APPLICATION, Nov 1998monophonic amplitude modulated (AM) signalalong with an amplitude modulated carrierequivalent phase modulation. A U.S. Patenvelope phase modulation of the AMformulated spread spectrum sequence
	Full text available at patent office. For more in-depth searching go to view all 20 results from Patent Offices similar results
7.	etd.dvi [PDF-218K] Mar 1997use the knowledge of the special code properties of the spread spectrum signals to obtain estimates of the channel parametersintroduced by Godard [17] for application to phase and amplitude-modulated signals. Both blind adaptive equalization and adaptive [http://o-scholar.lib.vt.edu.csulib.ctstateu.edu/theses] similar results
8.	SG245230 [PDF-2MB] Nov 1998 Understanding Optical Communications Harry J. R. Dutton International Technical Support Organization http://www.redbooks.ibm.com SG24-5230-00 International Technical Support Organization Understanding Optical Communications September 1998 SG24-5230-00 Take Note! more hits from [http://www.redbooks.ibm.com/pubs/pdfs/redbooks/sg24523] similar results
9.	IMPROVED DIRECT SEQUENCE SPREAD SPECTRUM SYSTEM FULTON, Forrest, F. / CELLNET DATA SYSTEMS, INC., PATENT COOPERATION TREATY APPLICATION, Dec 1996 IMPROVED DIRECT SEQUENCE SPREAD SPECTRUM SYSTEM Background of the Inventionrelates to direct-sequence spread spectrum radio communications systemssignal in response to data. In spread spectrum communications, the carrier Full text available at patent office. For more in-depth searching go to LexisNexis* view all 20 results from Patent Offices similar results
_ 10.	From: Doug Williams [ASCII-75K] Nov 1993 From: Doug Williams <dbw@gauss.eedsp.gatech.edu> Date: Wed, 31 Mar 1993 10:51:47 EST To: dsplett@gauss.eedsp.gatech.edu Subject: E-Letter on Digital Signal Processing: Issue 8 E-LETTER on Digital Signal Processing ISSUE No. [http://spib.rice.edu/news/e-letter/008] similar results</dbw@gauss.eedsp.gatech.edu>
11.	etd.dvi [PDF-383K] Oct 1998 Jeffrey H. Reed Electrical Engineering Abstract This report focuses on the application of adaptive arrays to the Advanced Mobile Phone Service (AMPS) and Code Division Multiple Access (CDMA) cellular systems.

"spread spectrum" AND "phase modulation" AND "amplitude modulated" results on scirus.com, Page 3	3 of 4
[http://scholar.lib.vt.edu/theses/available/etd-2749102] similar results	
Nysen, Paul Anton / Tobias, Raphael / CEDCOM NETWORK SYSTEMS PTY. LIMITED, EUROPEAN PATENT, Aug 1989transmits a modulated, repetitive long amplitude modulated continuous wave signal and theless than 1 watt) and may be spread spectrum modulated. Clock and transmit data will be amplitude modulated onto the carrier in the quasi Full text available at patent office. For more in-depth searching go to view all 20 results from Patent Offices similar results	
Oct 1995Amplitude shift keying (ASK) Continuous phase modulation (CPM) Hybrids Noncoherent FSK ASKmodulated Nonconstant: phase and amplitude modulated Page 6 11 Binary Modulation SchemesOne Zero 10 chips/bit Page 17 33 Spread Spectrum . Frequency Hopping SS Slow hopping [http://www.cs.berkeley.edu/~randy/Courses/CS294.S96/Fu] similar results	
14. RADIO MULTIPLEX TRANSMISSION SYSTEM AND MULTIPLEX MODULATION CIRCUIT AND MULTIPLEX DEMODULATION CIRCUIT APPLYING THE SYSTEM KIKUCHI HIDEO / TOSHIBA CORP, PATENT ABSTRACTS OF JAPAN, Oct 1996the digital signals DS are spread spectrum modulated in a mixer 13ais different for n/2 are amplitude modulated in an amplitude modulatoranalog signals AS and the phase modulation wave signals and amplitude Full text available at patent office. For more in-depth searching go to View all 20 results from Patent Offices similar results	
15. METHOD AND APPARATUS FOR INTEGRATION OF A WIRELESS COMMUNICATION SYSTEM WITH A CABLE T.V. SYSTEM DEAN, Richard, F. / WEAVER, Lindsay, A., Jr. / WHEATLEY, Charles, E., III / QUALCOMM INCORPORATED, EUROPEAN PATENT, Nov 1998the receiving station through the spread spectrum CDMA waveform properties based onextremely important. System capacity in a spread spectrum system can be maximized if the transmissionmaximize capacity in an exemplary CDMA spread spectrum system, the transmit power of each Full text available at patent office. For more in-depth searching go to view all 20 results from Patent Offices similar results	
16. SYSTEMS AND METHODS FOR MONITORING AND CONTROLLING TRACTOR/TRAILER VEHICLE SYSTEMS LESESKY, Alan, C. / WEANT, Bobby, Ray / Power Talk, Inc, EUROPEAN PATENT, Oct 1998 existing wiring using spread spectrum modulation. "Telecommunicationsas a precursor to spread spectrum modulation to remedy indicated problems in spread spectrum techniques. The presentfrequency modulation, phase modulation and other modulation Full text available at patent office. For more in-depth searching go to view all 20 results from Patent Offices similar results	
2ink, Scott E. / Baker, Daniel G. / TEKTRONIX, INC., EUROPEAN PATENT, Sep 1998randomized. The resulting modulated carrier frequency is then amplitude modulated based upon a human visual model so that the modulated carrierthe principle of spectral spreading from Direct-Sequence Spread Spectrum (DSSS) modulation of a carrier frequency. The low-bandwidth Full text available at patent office. For more in-depth searching go to ChexisNexis-	

"spread spectrum" AND "phase modulation" AND "amplitude modulated" results on scirus.com, ... Page 4 of 4 view all 20 results from Patent Offices similar results ☐ 18. Broad linewidth lasers for optical fiber communication systems Huber, David R. / General Instrument Corporation, EUROPEAN PATENT, Mar 1998 ...transmission of amplitude modulated ("AM") signals...modulator or an optical phase modulation ("PM") modulator...Hirose et al.: "Spread-Spectrum Optical Fiber Communications...g., frequency or phase modulation) driven by broadband...virtually ideal phase modulation. S. K. Korotky... Full text available at patent office. For more in-depth searching go to LexisNexisview all 20 results from Patent Offices similar results 19. SYSTEMS AND METHODS FOR MONITORING AND CONTROLLING TRACTOR/TRAILER **VEHICLE SYSTEMS** LESESKY, Alan, C. / WEANT, Bobby, Ray / VEHICLE ENHANCEMENT SYSTEMS, INC., PATENT COOPERATION TREATY APPLICATION, May 1997 ...of the tractor and the trailer, and spread spectrum signal producing means, responsive...positioned on the trailer, for producing a spread spectrum data communications signal representing...status of the subsystem from the -35 spread spectrum data communications signal. The subsystem... Full text available at patent office. For more in-depth searching go to LexisNexis view all 20 results from Patent Offices similar results **20.** COCHANNEL SIGNAL PROCESSING SYSTEM DOG^¿ / AN, Mithat, Can / STEARNS, Stephen, Deane / TRW INC., PATENT COOPERATION TREATY APPLICATION, Jun 1998 ...and frequency or phase modulation, in which the amplitude...of frequency and phase modulation are often referred...signal, but not for amplitude-modulated (AM) signals or...of amplitude and phase modulation. There is a significant... Full text available at patent office. For more in-depth searching go to LexisNexisview all 20 results from Patent Offices similar results fast :::

Results Pages: [<< Prev] 1 2 [Next >>]

back to top

<u>Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal</u>

Powered by FAST © Elsevier 2006



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((spread spectrum<in>metadata) <and>(phase modulation<in>metadata))<and&..." Your search matched 0 documents.

☑e-mail 🚐 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((spread spectrum<in>metadata) <and> (phase modulation<in>metadata))<and>

Search >

Check to search only within this results set

» Key IEEE JNL

IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE CNF IEE Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by inspec°



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((spread spectrum<in>metadata) <and>(phase modulation<in>metadata))<and>..." Your search matched 0 documents.

☑e-mail 🚇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((spread spectrum<in>metadata) <and> (phase modulation<in>metadata))<and>

Search >

Check to search only within this results set

» Key

IEEE JNL

IEEE Journal or Magazine

IEE JNL

IEE CNF

IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE Conference Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

search.

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

Copyright 2006 IEEE - All Rights

indexed by 可 Inspec'



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

. Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((spread spectrum<in>metadata) <and> (backscatter<in>metadata))" Your search matched 3 of 1360403 documents.

⊠e-mail 🚇 printei

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((spread spectrum<in>metadata) <and> (backscatter<in>metadata))

Search >

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

» Key

IEEE JNL IEEE Journal or

Magazine

IEE JNL

IEE CNF

IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEEE STD IEEE Standard

IEE Conference

Proceeding

view selected items

Select All Deselect All

1. Frequency and azimuthal variations of radar cross section and their influence upo frequency SAR imaging

Axelsson, S.R.J.;

Geoscience and Remote Sensing, IEEE Transactions on

Volume 33, Issue 5, Sep 1995 Page(s):1258 - 1265

Digital Object Identifier 10.1109/36.469490

AbstractPlus | Full Text: PDF(620 KB) IEEE JNL

Rights and Permissions

2. Distributed optical fibre temperature sensor using spread-spectrum techniques

Everard, J.K.A.; Thomas, R.;

Electronics Letters

Volume 25, Issue 2, 19 Jan. 1989 Page(s):140 - 142

AbstractPlus | Full Text: PDF(364 KB) IEE JNL

3. Improved radar target identification and discrimination by matched frequency hop Г spread spectrum (MFH/SS) signals and clipped radar-signature

El-Khamy, S.E.; Salem, F.A.;

Spread Spectrum Techniques and Applications Proceedings, 1996., IEEE 4th Internation

Symposium on

Volume 1, 22-25 Sept. 1996 Page(s):176 - 181 vol.1

Digital Object Identifier 10.1109/ISSSTA.1996.563765

AbstractPlus | Full Text: PDF(412 KB) | IEEE CNF

Rights and Permissions

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

Indexed by 回 Inspec'